

```

GET
  FILE='C:\Documents and Settings\wscott\Desktop\personality 2007\woopsidat'+
  '.sav'.
DATASET NAME DataSet1 WINDOW=FRONT.
T-TEST
  GROUPS = EXTROVERT(0 1)
  /MISSING = ANALYSIS
  /VARIABLES = woopsi newscale
  /CRITERIA = CI(.95) .

```

## T-Test

[DataSet1] C:\Documents and Settings\wscott\Desktop\personality 2007\woopsidat.sav

### Group Statistics

	EXTROVERT	N	Mean	Std. Deviation	Std. Error Mean
woopsi	0	37	12.2432	3.61636	.59453
	1	37	13.9459	3.38252	.55608
newscale	0	37	2.5135	1.85025	.30418
	1	38	4.3684	2.07196	.33612

### Independent Samples Test

		Levene's Test for Equality of Variances	
		F	Sig.
woopsi	Equal variances assumed	1.104	.297
	Equal variances not assumed		
newscale	Equal variances assumed	.580	.449
	Equal variances not assumed		

### Independent Samples Test

		t-test for Equality of Means			
		t	df	Sig. (2-tailed)	Mean Difference
woopsi	Equal variances assumed	-2.092	72	.040	-1.70270
	Equal variances not assumed	-2.092	71.681	.040	-1.70270
newscale	Equal variances assumed	-4.086	73	.000	-1.85491
	Equal variances not assumed	-4.092	72.466	.000	-1.85491

### Independent Samples Test

		t-test for Equality of Means		
		Std. Error Difference	95% Confidence Interval of the Difference	
			Lower	Upper
woopsi	Equal variances assumed	.81406	-3.32550	-.07991
	Equal variances not assumed	.81406	-3.32562	-.07979
newscale	Equal variances assumed	.45401	-2.75975	-.95006
	Equal variances not assumed	.45332	-2.75849	-.95133